

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>C12Q 1/68</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/53804</b> <b>(43) International Publication Date:</b> 14 September 2000 (14.09.00)
<b>(21) International Application Number:</b> PCT/GB00/00761 <b>(22) International Filing Date:</b> 3 March 2000 (03.03.00) <b>(30) Priority Data:</b> 9904991.8 5 March 1999 (05.03.99) GB <b>(71) Applicant (for all designated States except US):</b> THE UNIVERSITY OF NOTTINGHAM [GB/GB]; University Park, Nottingham NG7 2RD (GB). <b>(72) Inventor; and</b> <b>(75) Inventor/Applicant (for US only):</b> ARMOUR, John, Anthony [GB/GB]; The University of Nottingham, University Park, Nottingham NG7 2RD (GB). <b>(74) Agent:</b> WOMSLEY, Nicholas; Swindell & Pearson, 48 Friar Gate, Derby DE1 1GY (GB).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> GENETIC SCREENING		
<b>(57) Abstract</b>  A method of screening for nucleic acid sequence copy number in a sample genetic material (10), the method including introducing a number of different genetic probes (14) to hybridise with the genetic sample (10). The probes (14) are flanked by the same or substantially the same primer binding sites thereby enabling amplification of sample-bound probes using a single primer pair and thus the screening of different sequence copy numbers at the same time.		